

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	25466	pointing adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	1331	345/157.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	1134	345/163-166.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	289	345/167.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	1814	250/221.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	409	250/224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	148	710/23.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	4678	2 or 3 or 4 or 5 or 6 or 7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	6796	mouse near computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	23	mouse near (data adj storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	731	mouse near adapter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	95816	storage adj medium	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	79	11 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L15	1077	removable adj storage adj medium	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L16	21	9 and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L17	372	mouse and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L18	0	8 and 17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L19	46543	mouse and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L20	65562	mouse and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L21	40180	19 and 20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L23	0	8 and 22	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L22	249	15 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L24	412	8 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L25	1887	9 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
25	BRS	L26	116	9 and 24	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L28	2	5341421.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L29	188	21 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L30	66309	data adj processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L31	20	29 and 30	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L32	1600	463/37-42.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L33	211	19 and 32	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L34	189	20 and 33	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L35	13350	smart adj card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	L36	29	34 and 35	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	L40	118467	input adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	L41	1599	35 and 40	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
37	BRS	L42	28	32 and 41	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
1	20030619	15	Method and apparatus for gaming machines with a quasi-competition play bonus feature	US 20030114218 A1	463/25	463/42
2	20030529	31	Modular entertainment and gaming systems	US 20030100372 A1	463/42	
3	20030529	33	Modular entertainment and gaming system configured for processing raw biometric data and multimedia response by a remote server	US 20030100371 A1	463/42	
4	20030529	31	Modular entertainment and gaming system configured for network boot, network application load and selective network computation farming	US 20030100370 A1	463/42	
5	20030529	31	Modular entertainment and gaming systems configured to consume and provide network services	US 20030100369 A1	463/42	
6	20030417	17	Network gaming device and method for allowing a player to participate in a live game over a network	US 20030073499 A1	463/42	
7	20030403	46	Method and apparatus for linked play gaming	US 20030064807 A1	463/42	
8	20030403	25	Wireless game player	US 20030064805 A1	463/39	463/16
9	20030320	37	Point of play registration on a gaming machine	US 20030054878 A1	463/29	463/16; 463/42
10	20021212	23	System, method and interface for monitoring player game play in real time	US 20020187834 A1	463/42	
11	20021024	51	IC card, terminal device and service management server	US 20020155892 A1	463/42	

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
12	20021017	27	Method and apparatus for remotely customizing a gaming device	US 20020151366 A1	463/42	
13	20021010	29	Method and system for remote gaming	US 20020147047 A1	463/42	463/12; 463/13
14	20020829	14	Tournament network for linking amusement games	US 20020119824 A1	463/42	
15	20020606	10	Interconnection of users via a communications network, for competitive gaming	US 20020068632 A1	463/42	
16	20020606	7	Interconnection of users via a communications network, for competitive gaming	US 20020068630 A1	463/42	
17	20020124	28	System, method and article of manufacture for tournament play in a network gaming system	US 20020010025 A1	463/42	
18	20030930	9	Personal gaming device	US 6628939 B2		463/16; 463/18; 463/25; 463/40; 463/42; 463/46
19	20030610	49	IC card, terminal device and service management server	US 6575835 B1	463/42	235/380
20	20020917	18	Methods and apparatus for parimutuel historical gaming	US 6450887 B1	463/42	463/25; 463/26; 463/27; 463/28; 463/40; 463/43; 463/6
21	20020730	55	User image integration and tracking for an audiovisual presentation system and methodology	US 6425825 B1	463/31	463/42

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
22	20020716	12	Large prize central management	US 6419583 B1	463/42	273/138.1; 273/237; 463/25; 463/26; 463/27
23	20011023	28	Graphical user interface for providing gaming and prize redemption capabilities	US 6306035 B1	463/25	463/42
24	20010731	22	Game table player comp rating system and method therefor	US 6267671 B1	463/25	463/29; 463/42
25	20010522	10	Method and apparatus for controlling a gaming operation	US 6234898 B1	463/25	463/16; 463/29; 463/40; 463/43
26	20000627	12	Device for playing games via a communications network, and a game system using a communications network	US 6080064 A	463/42	
27	19981222	37	Distributed gaming system	US 5851149 A	463/42	463/16; 463/25; 463/26
28	19980623	27	Open architecture casino operating system	US 5770533 A	463/42	463/16; 463/20; 463/25
29	19980616	52	Remote-auditing of computer generated outcomes and authenticated billing and access control system using cryptographic and other protocols	US 5768382 A	380/251	463/29; 463/41; 713/180

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	25466	pointing adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	1331	345/157.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	1134	345/163-166.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	289	345/167.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	1814	250/221.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	409	250/224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	148	710/23.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	4678	2 or 3 or 4 or 5 or 6 or 7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	6796	mouse near computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	23	mouse near (data adj storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	731	mouse near adapter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	95816	storage adj medium	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	Dbs
13	BRS	L13	79	11 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L15	1077	removable adj storage adj medium	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L16	21	9 and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L17	372	mouse and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L18	0	8 and 17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L19	46543	mouse and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L20	65562	mouse and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L21	40180	19 and 20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L23	0	8 and 22	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L22	249	15 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L24	412	8 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L25	1887	9 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
25	BRS	L26	116	9 and 24	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L28	2	5341421.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L29	188	21 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L30	66309	data adj processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L31	20	29 and 30	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L32	1600	463/37-42.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L33	211	19 and 32	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L34	189	20 and 33	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L35	13350	smart adj card	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	L36	29	34 and 35	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text
1	BRS	L1	25466	pointing adj device
2	BRS	L2	1331	345/157.ccls.
3	BRS	L3	1134	345/163-166.ccls.
4	BRS	L4	289	345/167.ccls.
5	BRS	L5	1814	250/221.ccls.
6	BRS	L6	409	250/224.ccls.
7	BRS	L7	148	710/23.ccls.
8	BRS	L8	4678	2 or 3 or 4 or 5 or 6 or 7
9	BRS	L9	6796	mouse near computer
10	BRS	L10	23	mouse near (data adj storage)
11	BRS	L11	731	mouse near adapter
12	BRS	L12	95816	storage adj medium
13	BRS	L13	79	11 and 12
14	BRS	L15	1077	removable adj storage adj medium
15	BRS	L16	21	9 and 15
16	BRS	L17	372	mouse and 15

	DBs
1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text
17	BRS	L18	0	8 and 17
18	BRS	L19	46543	mouse and processor
19	BRS	L20	65562	mouse and memory
20	BRS	L21	40180	19 and 20
21	BRS	L23	0	8 and 22
22	BRS	L22	249	15 and 21
23	BRS	L24	412	8 and 21
24	BRS	L25	1887	9 and 21
25	BRS	L26	116	9 and 24
26	BRS	L28	2	5341421.pn.
27	BRS	L29	188	21 and 3

	DBs
17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
1	20021003	6	Mouse	US 20020140678 A1	345/166	
2	20020718	9	Method and system for use of a pointing device with moving images	US 20020093484 A1	345/163	
3	20020228	12	Mouse	US 20020024502 A1	345/163	
4	20020430	13	Mouse/keyboard capture recorder (MCR) apparatus and methodology	US 6380924 B1	345/156	235/146; 345/163; 345/168; 708/146; 710/67
5	20020226	8	Pointing device which uses an image picture to generate pointing signals	US 6351257 B1	345/163	345/166
6	20011204	9	Pointing device using two linear sensors and fingerprints to generate displacement signals	US 6326950 B1	345/163	345/156; 345/157; 345/164; 345/165; 345/173
7	20010807	47	Low cost force feedback peripheral with button activated feel sensations	US 6271833 B1	345/161	345/163; 345/184; 463/30; 463/38
8	19991207	12	Computer graphical user interface method and system for supporting multiple two-dimensional movement inputs	US 5999169 A	345/163	345/856
9	19980609	30	Method of detecting contact of mouse with surface and mouse unit using this method	US 5764220 A	345/163	345/164
10	19980414	39	Method and apparatus for controlling human-computer interface systems providing force feedback	US 5739811 A	345/161	345/163; 463/30; 463/38

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
11	19980331	58	Method and apparatus for controlling force feedback interface systems utilizing a host computer	US 5734373 A	345/161	345/163; 463/30; 463/38
12	19971202	6	Combination computer mouse and game play control	US 5692956 A	463/37	345/163; D14/403
13	19960213	35	User interface having simulated devices	US 5491495 A	345/173	345/163; 345/168; 345/619; 345/643
14	19951010	29	Knowledge testing computer game method employing the repositioning of screen objects to represent data relationships	US 5456607 A	434/323	273/273; 345/163; 434/118; 434/307R; 434/335; 463/9
15	19930316	18	Coordinate input apparatus	US 5195179 A	345/159	345/163; 345/856
16	19890711	15	Method and apparatus for identifying features of an image on a video display	US 4847604 A	345/180	345/163; 345/22
17	19890321	8	Absolute position controller	US 4814553 A	178/18.01	250/221; 250/237R; 345/166
18	19890214	16	Hand-held optical scanner and computer mouse	US 4804949 A	345/166	235/462.45; 235/472.01; 250/221; 382/313
19	19871006	9	Coordinate-data input device for CRT display having cursor travel control means	US 4698626 A	345/166	345/168; 345/668
20	19870811	8	Absolute position mouse	US 4686329 A	178/19.01	250/221; 250/237R; 345/166

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	25466	pointing adj device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	1331	345/157.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	1134	345/163-166.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	289	345/167.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	1814	250/221.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	409	250/224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	148	710/23.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	4678	2 or 3 or 4 or 5 or 6 or 7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	6796	mouse near computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	23	mouse near (data adj storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	731	mouse near adapter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	95816	storage adj medium	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	79	11 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L15	1077	removable adj storage adj medium	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L16	21	9 and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L17	372	mouse and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L18	0	8 and 17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L19	46543	mouse and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L20	65562	mouse and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L21	40180	19 and 20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L23	0	8 and 22	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L22	249	15 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L24	412	8 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L25	1887	9 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
25	BRS	L26	116	9 and 24	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L28	2	5341421.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L29	188	21 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L30	66309	data adj processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L31	20	29 and 30	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB